




The warmth of the sun, desert sand, clarity and mystery – experience the worlds of COELAN®.


Africa

Australia

Table of contents – colour worlds

Introduction	04
Australia	06
Alaska	10
Africa	14
Atlantis	18
Natural stone	22
Coloured Quartz	26
General information	30









Premium product characteristics and colour combinations create exciting floors

Interiors


Discover new floor ambiance for interior spaces

Floor coverings influence our feelings and moods. Consequently, individual design with choice of colours and patterns is crucial for a feeling of well-being in rooms. Combination gives unbound possibilities and free rein to creativity.

Through frequent daily use, floors are the most stressed areas of a building, but are often neglected for decades and their influence on ambiance fades. Premium product quality and characteristics tailored by specific user requirements are therefore crucial for optimum performance and long term appeal. Abrasion, wear and slip-resistance are key performance characteristics for accurate selection of the right system. Whilst colour, texture and shape provide choice and individual expression. The spectrum of opportunity spans from industrial floors to secondary rooms, to living rooms and work rooms.

We offer you a flooring ambiance with long-lasting appeal. Enrich your life with a Coelan Floor.





Enjoy serene moments in harmoniously designed outdoor areas with quality floors

Outdoor areas


Experience the special floor feeling in outdoor areas

Balconies and terraces are places of tranquility and rejuvenation. This is where we can sit back and escape from the daily routine for precious moments. Here an individual design and long floor service life are the crucial factors for our well-being.

As well as supporting activity and use, outdoor areas are heavily stressed day by day, year by year through exposure to sun, rain, snow and ice, as well as constant temperature fluctuations. Signs of stress manifest through the formation of cracks and crazing in floor coating, often at joints. This leads to moisture ingress which quickly spreads through the underlying screed leading to vapour pressure and frost heave forces. The result is spalling of the screed base and increasing levels of blistering and delamination of the coating system. Clearly the selection of the right floor is crucial. Our selection of coating systems for outdoor areas offers high-quality products that can withstand any weather influences.

In addition to product quality, colours and shapes are also determining factors for a harmonious design. Create tranquil areas with a look that guarantees wellness and thus provides possibilities for living a relaxed and balanced life.


We enable you to design special places under the open sky that will be a source of satisfaction to you for years to come.







With COELAN® Colour Flakes you can take Australian landscapes home. Set accents and combine coloured coatings with 16 different types of Colour Flakes. Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy





Colour Flake terrazzo pastel no. 357

Colour Flake ruby no. 342

For your interiors


We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

COEPLAN 2-K Poured Coating PLUS

COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the technical features.

Glow-red Sunlight illuminates the room

For unforgettable **moments**.





Time to linger.

For your outdoor areas

We developed the COETRANS® coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

COETRANS®

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

Technical data



Non-fading



Weather-resistant



Elastic



Crack-bridging (to 2 mm)



Jointless installation is possible




Temperature-resistant ($-40 \,^{\circ}\text{C}$ to $+90 \,^{\circ}\text{C}$)



Low installation height










Integrate traces of Alaska in your rooms – with COELAN® Colour Flakes. Set accents and combine coloured coatings with 16 different types of Colour Flakes.

Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy.





Colour Flake silver-grey no. 745

For your interiors

We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

COEPLAN 2-K Poured Coating Plus

COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the required technical features.

Cool elements bring clarity into rooms.

For undisturbed **moments**..

Technical data



Can be used as a rolled coating, unfilled coating, or filled coating



Low-solvent



Stress-resistant



Abrasion-resistant



Resistant to chemicals



Slip-resistance can be adjusted to suit





Rock-grey

Colour Flake (coarse) grey no. 006

For your outdoor areas

We developed the COETRANS® coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

COETRANS®

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

Technical data



Non-fading



Weather-resistant





Elastic



Crack-bridging (to 2 mm)



Jointless installation is possible




Temperature-resistant ($-40 \,^{\circ}\text{C}$ to $+90 \,^{\circ}\text{C}$)



Low installation height









COELAN® Colour Flakes bring African moments into the house. Set accents and combine the coloured coatings with 16 different Colour Flakes that can be implemented individually.

Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy.





Colour Flake beige-brown no. 104

For your interiors

We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

COEPLAN 2-K Poured Coating Plus

COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the technical features.

Earthy Colours conjure soft light into the room.

Time to let go.

Technical data



Can be used as a rolled coating, unfilled coating, or filled coating



Low-solvent



Stress-resistant



Abrasion-resistant



Resistant to chemicals



Slip-resistance can be adjusted to suit





Coffee-brown

Warm Colours awaken the floor to life.

For intensive sensibility.

Colour Flake brown-grey no. 103

For your outdoor areas

We developed the COETRANS® coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

COETRANS®

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

Technical data



Non-fading



Weather-resistant



Elastic



Crack-bridging (to 2 mm)



Jointless installation is possible




Temperature-resistant (– 40 °C to + 90 °C)



Low installation height











With COELAN® Colour Flakes Atlantis emerges at your home. Set accents and combine coloured coatings with 16 different types of Colour Flakes. Whether single-colour, mixed colours, extremely fine, fine or coarse, with marble, terrazzo, or gemstone effect, scattered partial surface or full surface – there are no limits to your fantasy.





Colour Flake aqua marin no. 538

For your interiors

We offer products for different interior spaces. Our floors are used in private living rooms and work rooms, and in highly stressed industrial environments. The products are persuasive through their high-quality technical features. The new colour worlds allow individual design.

COEPLAN 2-K Poured Coating Plus

COEPLAN 2-K Poured Coating PLUS, based on polyurethane resins, with or without sealer, with or without scattered Colour Flakes; our flooring systems are used in the highly stressed and creative design area. You can always rely on the right product for the required technical features.

Ocean colours create ambience in the room.

Space to dream.

Technical data



Can be used as a rolled coating, unfilled coating, or filled coating



Low-solvent



Stress-resistant



Abrasion-resistant



Resistant to chemicals



Slip-resistance can be adjusted to suit





Colour Flake granite no. 959

For your outdoor areas

We developed the COETRANS® coating system more than 25 years ago for balconies and terraces, arbours, and outdoor stairs. Now with the new colour worlds you create outdoor areas to meet your desires and ideas.

COETRANS®

These coating systems are manufactured on the basis of polyurethane resins and have all the characteristics to satisfy the rigorous requirements imposed on outdoor areas.

Technical data



Non-fading



Weather-resistant



Elastic

Rushing Shadows enliven the environment.

For moving moments.



Crack-bridging (to 2 mm)



Jointless installation is possible




Temperature-resistant (-40 °C to +90 °C)



Low installation height










Nature and contrast: The extensive colour variety of natural sandstone enables free design space for all floors. Single colours, offset with motifs, and multicolour contrast mixtures show the harmonious, multi-faceted interplay of the individual stones.

Taste and style are presented here.



Contrast terra white rosé



green white Contrast bordeaux



For your interiors

High-quality polyurethane resins combined with natural stone, (2-4 mm grain) bring optimal product characteristics and many design possibilities together. DEKORSTONE DS is the optimal choice for indoor areas such as stairways and also for larger surfaces.

DEKORSTONE DS

Our low-solvent product can be installed with minimal installation height. The high-level stress-resistance and slip-resistance, as well as the fire classification, are additional product advantages. DEKORSTONE DS is also available for rooms with underfloor heating.

Natural elements enrich rooms.

For formative impressions.

Technical data



Non-fading



Low-solvent



Jointless installation



Slip-resistance classification R9



Stress-resistant




Suitable for underfloor heating



Low installation height





black Contrast black light-gray



dark-beige Contrast terra Contrast sienna

For your outdoor areas

Rounded marble and granite granulates are compounded with primer, sealing layer, and binder to form a mortar system. COETRANS® DS is a near-natural product for outdoor areas such as balconies, terraces, arbours, stairs.

COETRANS® DS

Product characteristics such as, light-resistance, weather-resistance, and temperature resistance and the slip-resistance classification make COETRANS® DS an outstanding covering for outdoor areas. In addition it is capable of withstanding high stress and it has an advantageous drainage effect.

Technical data





Non-fading



Weather-resistant



Temperature-resistant (- 40 °C bis + 90 °C)



Jointless installation



Slip-resistance classification R9



High stressability



Drainage effect

Strong effects move the floor.

Time for Nature.







Design and variety: the different colours and colour blends of the Coloured Quartz make it possible to mix patterns and motifs as desired. The most rigorous requirements imposed on quality and creativity are satisfied, both with the mortar covering and with the scatter application. Thus custom room design takes on a new dimension.



ochre umbra yellow / white / black



papyrus oxide / graphite / ivory oxide

For your interiors

Our product, DEKORSTONE CQ, is a mortar system that consists of binder and Coloured Quartz; grading curve 0.7 to 1.2 mm. DEKORSTONE CQ offers ideal prerequisites for coloured, unusual design of interior spaces.

DEKORSTONE CQ

Naturally low-solvent DEKORSTONE CQ can be implemented in all indoor areas. High stressability at a low installation height, and the slip-resistance and fire classification perfect the system.

Shimmering light fills the room.

Time to sit back.

Technical data



Non-fading



Low-solvent



Jointless installation



Slip-resistance classification R10




Stress-resistant




Suitable for underfloor heating



Low installation height





gray / white / red red / white / black agate



graphite gray / white / black ivory

For your outdoor areas

COETRANS® CQ & DE is a mortar or scattering system comprised of primer, sealing layer, binder or adhesive layer and Coloured Quartz. The combination of polyurethane resin with Coloured Quartz, (grading curve 0.7 to 1.2 mm), make this system optimal for outdoor implementation.

COETRANS® CO & DE

COETRANS® CQ & DE is an ideal product for outdoor stairs, balconies, terraces, and arbours, thanks to its resistance to weather and temperature as well as the slip-resistance classification. Jointless installation with simultaneous high stressability and the flexible look offered by two installation variants make COETRANS® CQ & DE an optimal choice.

Technical data



Can be used as scatter application and mortar application



Non-fading



Weather-resistant



Temperature-resistant (- 40 °C bis + 90 °C)



Jointless installation



Slip-resistance classification R10



High stressability

Brilliant Colour combinations awaken the environment.

For emotional life.

In addition to high-quality product systems COELAN® naturally offers you comprehensive customer service. An extensive network of trained specialised companies, as well as our employees in sales and technology are pleased to help you.

In our own Training Center our partners and employees are trained and educated on a regular basis. COELAN® maintains its own research and development department in which products are tested and further developed on an ongoing basis.

Our company is certified and we assure the high quality of our products through DIN EN ISO 9001: 2008 and UM ISO 14001: 2004





Curious? Give us a call!

Your COELAN® team



KEMPER SYSTEM GmbH & Co. KG Holländische Straße 32-36 D-34246 Vellmar Phone +49 (0)561 8295-0 Fax +49 (0)561 8295-10 post@kemper-system.com www.kemper-system.com

KEMPER SYSTEM GmbH & Co. KG Boschstraße 14-16 D-48653 Coesfeld Phone +49 (0)2541 920-0 Fax +49 (0)2541 920-400 post@kemper-system.com www.coelan.com

Please note that 100 % colour accuracy cannot be guaranteed due to printing techniques.

The information in this brochure does not claim to be complete. It does not replace our more extensive instructions provided in our technical data sheets and processing instructions for the application techniques and technical features of our products.

This technical information is provided as advice to the best of our knowledge. Because implementation conditions with which we are not familiar are conceivable, this advice is non binding. In addition we reserve the right to make technical changes in the interest of progress. Publication of this edition renders all previous technical information invalid. You can avail yourself of our special technical application consulting for all questions. Agreements and assurances always must be provided in writing. Consequently have oral promises confirmed in writing. In all other aspects our delivery and payment terms apply.







