

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2018

Version number 5

Revision: 20.08.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: **COERAMIK Tile Cleaner**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Identified use: intended for professional use only!
- Application of the substance / the mixture: Cleaning material/ Detergent
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: KEMPER SYSTEM GmbH & Co. KG
Holländische Strasse 32-36
34246 Vellmar
Deutschland / Germany
Telefon: +49 (0)561 / 8295-0
Telefax: +49 (0)561 / 8295-5110
E-Mail: MSDS@KEMPER-SYSTEM.COM
- Further information obtainable from: research & development
- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen
Langenbeckstraße 1; Gebäude 601; 55131 Mainz
Tel. Nr.: +49 (0)6131 / 19 24 0
Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008: The product is not classified, according to the CLP regulation.
- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008: Void
- Hazard pictograms: Void
- Signal word: Void
- Hazard statements: Void
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- Description: Mixture: consisting of the following components.

- Dangerous components:

CAS: 64-17-5	ethanol	Flam. Liq. 2, H225; Eye Irrit. 2, H319	2.5-10%
EINECS: 200-578-6			
Index number: 603-002-00-5			
Reg.nr.: 01-2119457610-43			

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Do not leave affected persons unattended.
Personal protection for the First Aider.
Take affected persons out of danger area and lay down.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
- After skin contact: Seek medical treatment.
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment in case of complaints.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Protect unharmed eye.
If symptoms persist consult doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2018

Version number 5

Revision: 20.08.2018

Trade name: **COERAMIK Tile Cleaner**

(Contd. of page 1)

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters

- Protective equipment:

Do not inhale explosion gases or combustion gases.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

- Information about storage in one common storage facility:

Store away from foodstuffs.

- Further information about storage conditions:

Protect from frost.

Store in dry conditions.

Keep container tightly sealed.

Recommended storage temperature: 5-30 °C

- Storage class:

10

- 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities:

No further data; see item 7.

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL | Long-term value: 1920 mg/m³, 1000 ppm

- Regulatory information

WEL: EH40/2011

- Additional information:

The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 3)

- EN -

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2018

Version number 5

Revision: 20.08.2018

Trade name: **COERAMIK Tile Cleaner**

(Contd. of page 2)

- Respiratory protection:

Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
When used properly and under normal conditions, breathing protection is not required.
Use suitable respiratory protective device in case of insufficient ventilation.
Filter A/P2
Respiratory protection - Gas filters and combination filters according to EN 141

- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.
Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves

Recommended materials:
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.5 mm
Penetration time (min.): < 480

- Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.1 mm
Penetration time (min.): < 10

- Eye protection:



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166
protective clothing (EN 13034)

- Body protection:

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form:	Fluid
Colour:	Green
Odour:	Characteristic
Odour threshold:	Not determined.

- pH-value at 20 °C:	7.5
----------------------	-----

- Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	78 °C

- Flash point:	>65 °C
----------------	----------

- Flammability (solid, gas):	Not applicable.
------------------------------	-----------------

- Decomposition temperature:	Not determined.
------------------------------	-----------------

- Auto-ignition temperature:	Product is not selfigniting.
------------------------------	------------------------------

- Explosive properties:	Product does not present an explosion hazard.
-------------------------	---

- Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

- Density at 20 °C:	0.98 g/cm ³
---------------------	------------------------

- Relative density	Not determined.
--------------------	-----------------

- Vapour density	Not determined.
------------------	-----------------

- Evaporation rate	Not determined.
--------------------	-----------------

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2018

Version number 5

Revision: 20.08.2018

Trade name: **COERAMIK Tile Cleaner**

(Contd. of page 3)

- Solubility in / Miscibility with water:	Fully miscible.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity: Dynamic:	Not determined.
Kinematic:	Not determined.
- Solvent content: VOC (EC)	9.80 %
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity	No further relevant information available.
- 10.2 Chemical stability	
- Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions	No dangerous reactions known.
- 10.4 Conditions to avoid	No further relevant information available.
- 10.5 Incompatible materials:	No further relevant information available.
- 10.6 Hazardous decomposition products:	No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects	
- Acute toxicity	Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

64-17-5 ethanol

Oral	LD50	5,000 mg/kg (rat)
Inhalative	LC50/4 h	>1,800 mg/l (rat)

- Primary irritant effect:	
- Skin corrosion/irritation	Based on available data, the classification criteria are not met.
- Serious eye damage/irritation	Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)	
- Germ cell mutagenicity	Based on available data, the classification criteria are not met.
- Carcinogenicity	Based on available data, the classification criteria are not met.
- Reproductive toxicity	Based on available data, the classification criteria are not met.
- STOT-single exposure	Based on available data, the classification criteria are not met.
- STOT-repeated exposure	Based on available data, the classification criteria are not met.
- Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

64-17-5 ethanol

LC50/96 h	14,221 mg/l (Daphnia magna)
EC0	6,500 mg/l (Pseudomonas putida)
	5,000 mg/l (Scenedesmus subspicatus) (168h)
LC50	8,150 mg/l (Leuciscus idus (Aland))

- 12.2 Persistence and degradability	No further relevant information available.
- 12.3 Bioaccumulative potential	No further relevant information available.
- 12.4 Mobility in soil	No further relevant information available.
- Additional ecological information:	
- General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment	
- PBT:	Not applicable.
- vPvB:	Not applicable.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2018

Version number 5

Revision: 20.08.2018

Trade name: **COERAMIK Tile Cleaner**

- 12.6 Other adverse effects

No further relevant information available.

(Contd. of page 4)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

Smaller quantities can be disposed of with household waste.
Disposal according to official regulations

- European waste catalogue

07 02 04* other organic solvents, washing liquids and mother liquors

- Uncleaned packaging:

- Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, ADN, IMDG, IATA

Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA

Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

- Class

Void

- 14.4 Packing group

- ADR, IMDG, IATA

Void

- 14.5 Environmental hazards:

- Marine pollutant:

No

- 14.6 Special precautions for user

Not applicable.

- 14.7 Transport in bulk according to Annex II of Marpol and the IBC

Code

Not applicable.

- UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I

None of the ingredients is listed.

- 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

- Department issuing SDS:

research & development

- Contact:

research & development

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Internet:
- www.echa.com
- www.baua.de

- Sources

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.09.2018

Version number 5

Revision: 20.08.2018

Trade name: **COERAMIK Tile Cleaner**

(Contd. of page 5)

- www.gestis.itrust.de (IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance)

- * Data compared to the previous version altered.

— EN —